



ISO 9001:2008  
ISO/TS16949:2009

# SHARP VISION

Choose Top Technology, Choose Sharpvision



*All for safety!*



## >> We are manufacturer


Sharpvision Co., Ltd is a professional manufacturer of surveillance and rear vision products, which currently ranks among world's biggest suppliers for rear view products.

Established in 2003, Sharpvision is located in the Tianhe District of Guangzhou. Staffed with over 300 employees, it is certified with ISO9001:2008 and ISO/TS 16949 quality management systems. With complete set of quality inspection equipments and quality management systems, Sharpvision stick to the most strict quality regulations.

## >> Why Choose us?

1. Experienced R&D team
2. ODM&OEM
3. Reliability

<http://www.sharpvision.cn>



# Rear View Systems with Digital Panel

>> Waterproof cameras with wide viewing angle(120°)

### 3.5" / 5" / 5.6" / 7" monitors features:

- Support 8 languages.
- 3 / 4 AV inputs(3.5" has 2 inputs).
- Power: 10~32V, 12~16V(only for 3.5").
- Resolution: 320 x 3(RGB) x 240(3.5"), 640 x 3(RGB) x 480(5" and 5.6"), 800 x 3(RGB) x 480(7").
- Brightness: 350cd/m<sup>2</sup>(3.5"), 200cd/m<sup>2</sup>(5" and 5.6"), 400cd/m<sup>2</sup>(7").
- Contrast: 350: 1(only for 3.5"), 500: 1.
- Viewing angle: U: 40° D: 60°, R/L: 60°(3.5"), U: 50° D: 70°, R/L: 70°(5" and 5.6"), U: 50° D: 60°, R/L: 70°(7").

### Quad view

7"



CW-086

MO-117D

7"

7"

5.6"

5"

3.5"



MO-136D



MO-127D



MO-115D



MO-112D



MO-116D

### Cameras features:

- Color CCD and CMOS available.
- Night vision available.
- Water resistant: IP69K.
- Wide viewing angle(120°).



CW-085



CW-644



CS-404



CS-405



CS-401



CW-650




CW-087



CW-073



CW-651



# Rear View Systems with Digital Panel & Touch Buttons

**Waterproof**

**IP67**

>> Waterproof cameras with super wide viewing angle(180°)

### 5" / 5.6" / 7" monitors features:

- Digital monitors with touch buttons.
- Automatic backlighting for buttons.
- Support 8 languages.
- 3 / 4 AV inputs.
- Power: 10~32V.
- Resolution: 640 x 3(GB) x 480(5" and 5.6"), 800 x 3(GB) x 480(7").
- Brightness: 200cd/m<sup>2</sup>(5" and 5.6"), 400cd/m<sup>2</sup>(7").
- Contrast: 500: 1.
- Viewing angle: U: 50° D: 70°, R/L: 70°(5" and 5.6"), U: 50° D: 60°, R/L: 70°(7").



### Cameras features:

- Color CCD and CMOS available.
- Night vision available.
- Water resistant: IP69K.
- Super wide viewing angle(180°).



CW-636



CW-637



CW-638



CW-634



CW-646



CW-642



CW-635M



CW-639



MO-137D





# Wireless Systems with Digital Panel

>> Weatherproof cameras

## 5.6" / 7" wireless monitors specifications:

- 2.4 GHz TFT LCD color monitor with digital screen.
- Support 8 languages.
- Automatic backlighting for buttons.
- Up to 4 channels.
- Power: 10~32V.
- Auto switch to back-up, left, right or front camera viewing.
- Frequency range: 2400~2483MHz.
- Group Supported: 2414, 2432, 2468, 2450(MHz).
- Distance: 100m(barrier-free).
- Reception capability: -87dB.



# Car Black Boxes

- Dual lens recording simultaneously (DV-420).
- 720P high-definition recording.
- TFT screen size: 2".
- Resolution: 1280 x 720 (DV-378),  
1920 x 1080 (DV-379),  
1280 x 480 (DV-420).
- 5 mega pixels of hardware and 12 mega pixels of interpolation.
- SD card mode: SD card(32 GB) (DV-378),  
mini SD card(32 GB) (DV-379),  
TF card (512M-32G) (DV-420).
- Support recording rewrite.
- Automatically record when power on.
- Continuously record for 15s after power off.
- View angle: 120 degrees.
- Night vision available.
- HDMI/ TV output (DV-378&379).
- USB 2.0 output.
- Support Screen Rotation: 180 degree (DV-378),  
270 degree (DV-379),  
270 degree (DV-420).
- Support Lens Rotation: 30 degree (DV-378),  
180 degree (DV-379),  
120 degree (DV-420).





# Mobile DVRs

## 4CH x D1



DV-375

### 4CH DVR

- Support 1 SD card(max. 32G).
- 4CH x D1 (720 x 576/ 720 x 480).
- GPS tracking(optional).
- Power: 8~32V.
- Compression format: H.264 high profile.
- 3 alarm inputs; auto switch to the working channel through trigger wires.
- Power-on recording, alarm recording, motion detection recording.



Monitor



Back

## 4CH x CIF



DV-377

### 4CH DVR

- Support 1 SD card(max. 32G).
- 4CH x CIF(352 x 288).
- GPS tracking(optional).
- Power: 8~32V.
- Compression format: H.264 high profile.
- 3 alarm inputs; auto switch to the working channel through trigger wires.
- Power-on recording, alarm recording, motion detection recording.



Monitor



Front



DV-373

### 1CH DVR

- Support 1 SD card(max. 32G).
- 1CH x D1 (720 x 576/ 720 x 480).
- Power: 10~32V.
- Compression format: MPEG4.
- Power-on recording.



Monitor



Front

# Multiplexers



MU-317

### 2CH multiplexer

- 2 camera inputs and 1 AV output.
- Auto switch to the working camera in full screen.
- Default trigger priority: camera 1.
- Power: 12~32V.
- Short circuit protection.



Monitor



Front



MU-318

### 4CH multiplexer

- 4 camera, 1 AV input and 2 AV outputs.
- Auto switch to the working camera in full screen.
- Trigger priority selectable.
- Each camera can be set up separately.
- Power: 12~32V.
- Single, dual, triple, quad image and PIP functions available.
- Short circuit protection.



Monitor



Front



# Specialized Cameras



## Portable Microscope

- 1.3 mega pixels.
- Magnification ratio: 50x and 200x.
- Power supply: 5V from USB port.
- Support WIN7, Vista, Windows XP(SP2 / driver free).



## Video Borescopes

- Color camera with LEDs.
- Monitor: 2.4" color TFT LCD(VB397 only).
- Water-resistant IP67.
- Real-time display.
- The optimized illuminant design can illuminate every crack and burning mark on a high reflective surface.



ZE-414

## Oral Endoscope

- 1.3 mega pixels.
- Real-time display.
- Composite signal output.
- Support windows 7 / 2000 / XP / Vista



## Camera Modules

- Color CMOS camera modules.
- Various dimensions for option.
- 0.3M/ 1.3M/ 2.0M/ 3.0M/ 5.0M pixels selectable.



Address: 1/F., #6 Building, Huangzhou Industrial Park, Chebei Rd., Tianhe, 510660 Guangzhou, China. (Post Code: 510660)  
 TEL: 86-020-28318688    FAX: 86-020-28318677  
 Email: sales@sharpvision.cn    sales@stonevision.cn  
 MSN: sales@sharpvision.cn  
 Skype: sharpvision8  
 Website: www.sharpvision.cn    www.stonevision.cn  
 www.tksvision.com    www.youcanvision.com

